



PRODUCT INFORMATION ADJUSTABLE POOL STAIRS

# **PRODUCT INFORMATIE**



## **ADJUSTABLE POOL STAIRS**

### **PRODUCT DESCRIPTION**

The stainless steel movable stairs (high polished SS 316L) are supplied with a hinge which makes the system particularly suitable to use in combination with a Variopool movable floor. The construction guarantees a infinitely variable angle adjustment and safe access in any water depth. The steps are equipped with the necessary pivot points in the steps, stairs and railings. Two nylon wheels installed underneath the staircase allow for a smooth transition and all implementation is done according to the EN13451-2 standard.

Moving the movable floor up to water level makes it easier to remove the movable stairs from the pool tank. The stairs are anchored in the pool deck using two standard floor covers which can be removed manually.

#### IMPRESSION ADJUSTABLE POOL STAIR






#### **TECHNICAL SPECIFICATIONS**

Tatalasiate	1000
Total width	1000 mm
Number of steps	6 steps
Dimension steps	950 mm x 260 mm (L x W)
Maximum angle	Ca. 60º (water depth of approx. 1200 mm)
Material – frame	High polished Stainless Steel 316L
Material – guide wheels	Nylon
Fixing	Fixed using synthetic anchor points in pool deck

The above specification describes a standard implementation of the Stainless Steel adjustable stairs. Do you have questions about these specifications or availability in other sizes, please contact us. You can reach us every day on +31 226 333 000 or via info@variopool.nl

Below is a short list of references where Variopool has designed and installed Stainless Steel adjustable stairs. Feel free to contact us should you have questions about these or any other Variopool product by calling +31 226 333 000 or email via info@variopool.nl.
















Variopool B.V. - Haarspit 3 - 1724 BG Oudkarspel - The Netherlands Tel. +31 226 333 000 - Fax +31 226 333 099 - E-mail: info@variopool.nl - Web: www.variopool.nl